## SILVENTONO CONTROLL Nach der Natur gezeichnetund gestochen - von Facob Sturm Funior.

Wtes Stirk.

zu finden in Nurnberg begreen Verfaßer.



## Stük 4 1792



Scarabaeus nutans.



## Stük 4 1792



Scarabaeus nutans.





Cetonia hirta.

DEPART ANT



Byrrhus pilula.



Stük 4 1792.

4



Sphaeridium fearabaeoides.

DEPARTMENT A OF TO MOLOG

Z.Ď.



Hispa mutica.



Stük 4 1792

0



Chrysomela limbata.

Stük 4 1792



Chryfomela fangiunolenta.



stük 4 1792

8



Chrysomela 20 punctata.



57 ük 4, 1792

9



Chrysomela nitidula.

Stuk 4 1792



Chrysomela nemorum.



//



Cryptocephalus longipes.



Stuk 4 1792







Cryptocephalus tridentatus.







Cryptocephalus nitens.



**Z.**J).



Curculio paraplecticus.





Curculio germanus.







Curculio gemmatus.



7.D.

17



Curculio rufipes.



Z.D.


\$8ük 4 1792.



Curculio argentatus.



Z.D.



Spondylis buprestoides.



Z.D.



Saperda linearis.



Z.D.



Callidium mysticum.




Z-D.



Leptura melanura.




Z.D.



Leptura Scopolina.



Z.D.



Blaps mortijaga.





Cerocoma Schaefferi .



Z.D.

